



Turf Supreme® 16-6-8 plus Trimec®

ACTIVE INGREDIENTS:

2,4-dichlorophenoxyacetic acid	0.55%
(+)-(R)-2-(2 methyl-4-chlorophenoxy) propionic acid	0.12%
Dicamba: 3,6-dichloro-o-anisic acid	0.05%
INERT INGREDIENTS:	99.28%
TOTAL.....	100.00%

THIS PRODUCT CONTAINS:

11.0 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.
2.4 lbs. (+)-(R)-2-(2 methyl-4-chlorophenoxy) propionic acid equivalent per ton.
1.0 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.
Isomer Specific by AOAC Methods

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

EPA REG. NO. 2217-643-7001

EPA EST. NO.61842-CA-1

**STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**KEEP OUT OF REACH CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes, socks and chemical-resistant gloves made of any waterproof material.

FIRST AID

If on skin or on clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

GUARANTEED ANALYSIS: 16-6-8

TOTAL NITROGEN (N)	16.0%
16.0% Ammoniacal Nitrogen	
AVAILABLE PHOSPHATE (P ₂ O ₅).....	6.0%
SOLUBLE POTASH (K ₂ O).....	8.0%
Sulfur (S)	16.0%
16.0% Combined Sulfur (S)	
Iron (Fe).....	1.5%
Manganese (Mn)	0.2%

Derived from Monoammonium Phosphate, Ammonium Sulfate, Muriate of Potash, Iron Oxysulfate and Manganese Oxysulfate.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-jr.com>

SPREADER SETTINGS: Apply 4 lbs. per 1,000 sq.ft. SGN 150

BEST® Pro	4B	Rates are for spreading one time across in one direction
Spyker / BEST® Models 34, 44, 64	3.7	
Earthway.....	12	
Lesco	13	
Scotts R-8A (Cone 8).....	J½	
Lely 1250 / Vicon	visit www.bestfertilizer.com	

As a guide, set spreader at the setting indicated by the above chart before applying. Remember the settings provided are only a guide and depend on the age, condition and speed of operation of your spreader. Check spreader calibration often and make adjustment as needed. Keep this product off sidewalks, patios, driveways, etc. This product contains materials which will stain concrete and painted surfaces. If it comes in contact with concrete surface, sweep off immediately before finishing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter product beyond lawn edge and onto concrete. Calibration Instructions. To provide proper distribution, calibrate spreader before application. Calibrate our spreader on 300 sq.ft. and adjust to apply 1.0 lb. of product per 300 sq.ft.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled. Do not apply this product to dichondra or carpetgrass. Do not apply this product to 'Floritam' St. Augustinegrass in Florida. Do not use this product where desirable clovers are present. Do not exceed specified dosages for any area. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application. Do not use this product on or near desirable plants, and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of desirable trees and shrubs, since injury may result. Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

INSTRUCTIONS

Turf Supreme® 16-6-8 Plus Trimec® controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, a 16-6-8 fertilizer provides plant nutrients or a supply of plant food. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum broadcast application rate is 5.0 pounds of product per 1,000 sq. ft. per application (1.2 lb. 2,4-D ae, 0.27 lb MCPP-p ae and 0.11 lb. dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 10.0 pounds of product per 1,000 sq.ft. (2.4 lb. 2,4-D ae, 0.54 lb. MCPP-p ae and 0.22 lb. dicamba ae per acre).

1. Mow the lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

WEEDS CONTROLLED

Annual yellow sweetclover	Broadleaf plantain	Chickweed, mouseear	Goldenrod	Nettle	Pigweed	Sowthistle
Bindweed, field	Buckhorn	Chicory	Ground ivy	Oxalis	Red sorrel	Speedwell
Bird vetch	Buckhorn plantain	Clover, crimson	Henbit	Pearlwort	Redroot pigweed	Spotted spurge
Bitter wintercress	Bulbous buttercup	Clover, white	Hoary cress	Pigweed	Redstem filaree	Stinging nettle
Bittercress, hairy	Bull thistle	Cocklebur	Hoary plantain	Plantain	Rough cinquefoil	Thistle
Black medic	Burdock	Common mullein	Kochia	Poison ivy	Rough fleabane	Venice mallow
Black mustard	Burning nettle	Curly dock	Knotweed	Poison oak	Russian pigweed	White mustard
Blackseed plantain	Burclover	Daisy, English	Lambsquarters	Prickly lettuce	Russian thistle	Wild carrot
Blessed thistle	Buttercup	Dandelion	Mallow	Prostrate pigweed	Scarlet pimpernel	Yarrow
Bloodflower milkweed	Buttonweed	Dichondra	Morningglory	Prostrate knotweed	Scotch thistle	
Bracted plantain	Canada thistle	Dollarweed	Mustard	Prostrate spurge	Shepherdspurse	
Bristly oxtongue	Carpetweed	False dandelion	Narrowleaf plantain	Purslane common	Smooth dock	
Broadleaf dock	Chickweed, common	Fiddleneck	Narrowleaf vetch	Puncturevine	Smooth pigweed	

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

PACKAGE SIZE:

50-LB. (22.68-Kg.) BAGS

MANUFACTURED IN U.S.A. 74070 (PRO/TB R9-14-2010)

HANDLING PRECAUTIONS:

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.

MSDS - See Reverse

HARMFUL IF SWALLOWED - DO NOT INHALE